## **PCT**

## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



#### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)


(51) International Patent Classification 6:		(11) International Publication Number:	WO 98/21649
G06F 9/44, 19/00 // 161:00	A1	(43) International Publication Date: 22	May 1998 (22.05.98)
(21) International Application Number: PCT/IB9 (22) International Filing Date: 13 October 1997 (		ES, FI, FR, GB, GR, IE, IT, LU, MC	
(30) Priority Data: 9623336.6 8 November 1996 (08.11.96)	) G	Published  With international search report.  Before the expiration of the time lingular claims and to be republished in the examendments.	
(71) Applicant: PHILIPS ELECTRONICS N.V. [NL/NL newoudseweg 1, NL-5621 BA Eindhoven (NL).	.]; Gro		
(71) Applicant (for SE only): PHILIPS NORDEN AB Kottbygatan 7, Kista, S-164 85 Stockholm (SE).	[SE/SE	;	
(72) Inventor: WAVISH, Peter, Roy; Prof. Holstlaan 6, 1 AA Eindhoven (NL).	NL-565	5	
(74) Agent: WHITE, Andrew, G.; Internationaal Octro B.V., P.O Box 220, NL-5600 AE Eindhoven (NL)			

#### (54) Title: AUTONOMOUS COMPOUND AGENTS

#### (57) Abstract

In a rule-based processor, populations of component agents are enabled to self-assemble into compound agents such as to give a degree of distributed artificial intelligence in a relatively simple system. The majority of component agents have top and bottom decision structures into which requesting agents can insert rules: the rule selected by a decision structure is the one which is valid following evaluation of a priority criteria and leads to the placing of a marker from the selecting agent to the requesting agent. With the two decision structures, behaviour trees may be formed from the top down or the bottom up, as required by the instantaneous situation to which the compound agent is responding.

	AGENT	BEHAVIOUR	WAITING FOR
	1	GETTING OUT (Room)	2
1	.2	GOING TO (Door)	3+4
1	3	WALKING	5
1	4	FACING TOWARDS (Door)	5
ı	5	STANDING UP	1



Attorney Docket No.: 2388-797

Express Mail Label No.: ET025234443US

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	CT.	
AM	Armenia	FI	Finland	LT	Lithuania	SI	Slovenia
AT	Austria	FR	France	LU		SK	Slovakia
AU	Australia	GA	Gabon	LV	Luxembourg	SN	Senegal
AZ	Azerbaijan	GB	United Kingdom		Latvia	SZ	Swaziland
BA	Bosnia and Herzegovina	GE	Georgia	MC MD	Monaco	TD	Chad
ВВ	Barbados	GH	Ghana		Republic of Moldova	TG	Togo
BE	Belgium	GN	Guinea	MG	Madagascar	TJ	Tajikistan
BF	Burkina Faso	GR	Greece	MK	The former Yugoslav	TM	Turkmenistan
BG	Bulgaria	HU			Republic of Macedonia	TR	Turkey
BJ	Benin	IE	Hungary	ML	Mali	TT	Trinidad and Tobago
BR	Brazil	IE IL	Ireland Israel	MN	Mongolia	UA	Ukraine
BY	Belarus		•	MR	Mauritania	UG	Uganda
CA	Canada	IS	Iceland	MW	Malawi	US	United States of America
CF		IT	Italy	MX	Mexico	UZ	Uzbekistan
CG	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CH	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CI	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

15

20

25

30

### **AUTONOMOUS COMPOUND AGENTS**

The present invention relates to rule-based data processing apparatuses and in particular to the generation of compound agents and the provision of mechanisms for interaction between such compound agents.

The construction and operation of both simple and complex groupings of rule-based software agents and data processing systems supporting them will be understood by those of ordinary skill in the art. Further description of various features and functions of agent-based systems, particularly (but not limited to) those supporting the real-time agent behaviour language RTA may be found in the following commonly-assigned published cases: European patent EP-B-0,397,259 / US patent 5,418,887 and European (PCT) patent applications EP-A-0,704,077 (IB95/00192), EP-A-0,722,592 (IB95/00515) and EP-A-0,724,751 (IB95/00516).

The general idea of constructing a complex agent (hereinafter a compound agent) from a large number of relatively simpler similar agents (hereinafter component agents) is analogous to the arrangement of "knowledge trees" as put forward by Marvin Minsky in "The Society of Mind", published by William Heinemann, 1987, ISBN 0 434 46758 8. Each of the ideas or concepts (which Minsky also refers to as "agents") at the various hierarchical levels of the tree is joined to agents in the levels above or below by Knowledge- or K-lines. In two papers by P.R. Wavish and M. Graham ("A Situated Action Approach to Implementing Characters in Computer Games", Applied Al Journal, Vol. 10, no.1, Jan/Feb 1996; and "Roles, Skills and Behaviour: a Situated Action Approach to Organising Systems of Interacting Agents", in "Intelligent Agents", edited by M.J. Wooldridge and N.R. Jennings, Lecture Notes in Artificial Intelligence 890, Springer-Verlag, 1995) there is described a way of constructing compound agents by designing organisations in terms of roles, and

15

20

25

30

then implementing compound agents capable of performing the roles. The roles and skills of the compound agent are coded as autonomous agents, but these generally have little interaction with each other, and the compound agents have no planning capability.

The standard artificial intelligence approach to action generation is to plan a sequence of actions (or more generally, a graph of possible actions at some level of abstraction) and then to execute this sequence or graph. This approach has various problems associated with it. Firstly, the agent needs to maintain an internal model of its environment; searching for a valid plan is computationally expensive with that plan being based on a model of the agent's environment which is liable to be inaccurate and become out of date. Additionally, replanning is necessary when the plan fails because of some unanticipated contingency.

It is therefore an object of the present invention to provide a compound agent having greater freedom and flexibility of operation, which compound agent is not reliant on an internal environmental model.

In accordance with the present invention there is provided a rule-based data processing apparatus comprising a processor coupled with memory means having stored therein a first group of agents, said first group being defined by a respective set of rules, and each agent being configured to effect respective designated functions when triggered by a respective predetermined set of conditions holding true and at least some of said agents being configured to trigger others of said agents to effect their respective functions through markers linking respective pairs of agents; characterised in that each agent includes a first decision structure into which respective rules from others of said group of agents may be placed, each decision structure being arranged to periodically select and act on one of the rules placed therein in accordance with predetermined selection criteria, and each agent being configured to place a marker on an agent originating a rule selected by said agent, and to periodically identify one or more other agents of the said group as capable of

10

15

20

25

30

effecting at least a part of that agents designated function and to place a rule into the first decision structure of the or each agent so identified.

With markers being placed as required, role and skill agents are capable of self-assembling into tree structures through use of the decision structures (described hereinafter), and this provides compound agents with a kind of planning capability. Each of the component agents may include a second decision structure and be further configured to periodically identify one or more other agents of the said group (the compound agent) as having the agents designated function as at least a part of their designated function and to initiate the placing of a rule into the second decision structure of the or each such identified agent. Consequently, the tree structures can also self-assemble from the bottom up, with those agents carrying out basic functions linking themselves to those agents having the skill to direct those functions.

Each rule placed in a decision structure suitably has an associated priority value, and the periodic selection by the decision structure could then be of the highest priority from amongst the rules currently placed. In such an implementation, each priority value may be a time delay, with each decision structure being arranged to periodically synchronously trigger all time delays of rules placed therein, the first rule for which the associated delay expires whilst the condition portion of that rule is satisfied becoming the selected rule. Such a system of arbitration in the decision structures would enable an agent to select from amongst those seeking to establish a marker, whilst ensuring that only active agents are considered.

In more complex arrangements, a further group of agents (compound agent) may be stored within the memory means and be defined by a respective set of rules, with at least some of the component agents of that compound agent having first and second decision structures, and at least some component agents of each compound agent being operable to place rules within decision structures of selected agents within the other compound agent. In other words, individual component agents are each capable of skilled interaction with their environment, which includes component agents within

10

15

20

25

30

other compound agents that are playing complementary roles. In order to provide representation for other features of the environment, a plurality of further agents may be stored within the memory means and defined by respective rules, with each of these further agents having only a first decision structure.

With the present invention, there is no internal model and consequently there is no planning or replanning: the actions generated are appropriate to the current situation because they are based on the compound agent's current perception of the environment rather than on an internal model.

Further features and advantages of the present invention are recited hereinafter and in the attached claims, to which reference should now be made.

The present invention will now be described, with particular reference to virtual actors governed by a society of agents by way of example only, with reference to the accompanying drawings, in which:

Figure 1 is a block schematic diagram of a rule-based data processing apparatus embodying the present invention;

Figure 2 represents a conventional artificial intelligence approach to solving an example problem;

Figure 3 is a table of agent behaviour states during application of the present invention to the situation of Figure 2;

Figure 4 represents agents from the table of Figure 3 assembled in a tree structure of a compound agent;

Figure 5 is a modified version of the table of agent states of Figure 3; and

Figures 6 and 7 represent subsequent contents of the table of Figure 5 resulting from the actions of a compound agent.

Virtual actors in virtual worlds, such as characters in computer games, need to be able to act "intelligently" in order to cope with other actors and objects in the world and in order to appear believable as intelligent entities to

10

15

20

25

30

human users, viewers or game players. As previously mentioned, the standard approach to building reasoning and control mechanisms for such actors is to have at least two modules coupled together: an artificial intelligence (AI) planner that can reason about the situation slowly, and a reactive module that can react quickly but unintelligently. The approach followed here however is to provide a single society of much simpler agents (hereinafter referred to as a compound agent comprised of a plurality of component agents) which collectively can react quickly and intelligently to the current situation.

Figure 1 shows an interactive entertainment apparatus based around a rule-based data processing apparatus embodying the present invention. The apparatus comprises a processor 10 operating on a compiled asynchronous logic circuit representation defined by a population of RTA rules. Through control and data link 12, the processor 10 is enabled to control a multicharacter interactive animation for which scenes are generated by image rendering stage 14 and output to display 16. The processor 10 has associated with it a number of data stores, a first of which is random access memory (RAM) 18 which provides discrete storage areas for a table 20 of the various elements of the asynchronous logic circuit representation of the compiled population of RTA rules, and listings of propagate functions 22, future element state changes 24, and an event stack 26. These features perform their conventional functions, a more detailed description of which is given in the above-mentioned European patent application EP-A-0,704,077.

The RAM 18 is connected to the processor 10 by a data bus 28 and an address bus 30 in known manner. Also in known manner, a clock (CLK) 32 is connected to the processor and, as shown, the rendering stage 14. A read-only memory (ROM) 34 is coupled to the processor 10 by a data bus 36 and address bus 38 and provides a program store holding a command structure governing implementation of the compiled circuit representation for each of the compound and component agents. A user interface device (UID) 40 is provided to enable input of control data and commands directly to the processor 10; the form of the UID will depend on what is required by the

10

15

20

25

30

application, and may range from one or two simple buttons to keyboard/mouse input in conjunction with a graphical user interface on display 16 and generated by the rendering stage 14.

This form of a rule-based system embodying the present invention addresses the problem of how to create apparently intelligent virtual actors playing, for example, characters in a computer game. Data defining the layout and appearance of a virtual environment is held in a further RAM 42 together with data defining the appearance and current position within the virtual environment of various objects ("props" such as tables, chairs, books, etc.) and each of the virtual actors. The processor 10 has read/write access to the RAM 42 via address 44 and data 46 buses, whilst the rendering stage 14 has read-only access via respective address 48 and data 50 buses. Audio accompaniment to the images of the virtual environment may be provided by an audio playback stage 52 which accesses data from a respective audio data store 54 and is under the direction of the processor 10 through control line 56.

The script directing the virtual actors may be represented at run-time by a chain of autonomous script agents such that it plays an active part in the operation of the system, with the virtual actors being respective compound agents whose activity is partly determined by the situation in which they are embedded (and which their activity is helping to construct) and partly by the script which they enact. The control of the performance of the script is distributed amongst the virtual actors, each of which is responsible for identifying the parts of the script to be performed and for identifying the cue for performing them. The actions performed by the virtual actors are used additionally to update the data on their appearance held in RAM 42 such that the rendering stage 14 need only determine where to generate the updated representation in relation to the image of the virtual environment. To handle the function for intermediate objects, the theatrical "props" such as a door which may be open or closed or a book which may be passed from one character to another, a relatively simple class of agents is provided. These agents are independent of any particular compound agent and are referred to

10

15

20

25

30

hereinafter as object agents.

In terms of software control of entities, intelligence is often thought of as the capacity to plan actions in order to solve problems. To take a very simple example, suppose that a virtual actor controlled by a compound agent is sitting on a chair with its back to the door, and is told to leave the room. The first problem is that it cannot immediately move to the door, because it is sitting down. The second problem is that when the virtual actor stands up, it cannot walk directly to the door, because it is facing in the wrong direction. A third problem is that even if it does turn in the right direction, it is unlikely to be able to walk forward because the chair is in the way.

The conventional Al approach to this is to plan a sequence of actions ahead of time. An Al planner would generate a plan, such as that shown in Figure 2, and then proceed to execute the plan step by step. In mechanisms embodying the present invention, instead of the sequence of actions being generated ahead of time by an Al planner, the actions are determined as needed by the component agents within the compound agent. Each component agent controls a behaviour of the compound agent, such as standing up, turning, or walking. Some of these behaviours correspond to visible motion of the compound agent, while others are more abstract.

When faced with the previous problem of how to get out of a room from a seated start, the present approach differs from that outlined in Figure 2, with the table of Figure 3 listing the component agents which would be active concurrently at the point where the compound agent is rising to its feet, and Figure 4 representing the instantaneous arrangement of these agents as a fraction of the compound agent tree structure.

The component agent 5 called "standing up" is currently performing the corresponding behaviour because the other component agents are blocked. As soon as the compound agent has risen to its feet, it will start turning towards the door and walking. At this point, if the chair is perceived as being in its path, another component agent which performs "avoiding" may be invoked which may in turn invoke "step sideways" until the path ahead is seen to be

10

15

20

25

30

clear. Similarly when the compound agent reaches the door, an "opening" component agent might be invoked by the "getting out" component agent in order to turn the door handle and so leave the room.

When one component agent is waiting for another component agent to perform its behaviour, it continues to monitor the current situation. This situation is represented partly by the states of the other component agents in the virtual actor (compound agent), and partly by the states of other objects and other compound agents in the world (including component agents within the other compound agents). This allows the compound agent to respond immediately to changes in its situation. For instance the "getting out" component agent may determine that the status of a qualifier for the "door" object has been changed to "locked", and pass a new destination (the window, say) to the "going to" component agent which then passes it to the "facing towards" component agent. Then, when the standing up action is completed, the compound agent will turn to face the window rather than the door.

In a refinement of the system already described, each agent has a number of states, or modes:

- resting
- beginning
- doing
- ending
- failing.

Each agent is in exactly one of these states at any time, with the most common state being resting. During the beginning state, the agent carries out preparatory activity, such as standing up before walking if it is currently sitting down. During the doing state, the agent is actually doing what its name implies, e.g walking. The ending state is entered when the task has been accomplished successfully, and the failing state is entered if the agent is unsuccessful. In the table of Figure 5, corresponding to the example of Figure 3, the first four agents are in the beginning state, with the fifth ("standing up") in the doing state making explicit that what the virtual actor is currently doing

10

15

20

25

30

is standing up, although it also "intends" to leave the room, go to the door, etc.

Later on, when the virtual actor has stood up and turned to face the door and started walking, the states of the agents would be shown as in Figure 6, with all the agents in the doing mode except for standing up which is ending. When the chair is encountered, the actor stops walking and the "going to" agent organises obstacle avoidance activity, with the agent states then as shown in Figure 7.

In order to enable this functionality, a uniform interface is provided between component agents so that they can self-assemble into tree structures (such as the fragment of Figure 4) containing active component agents that rely on, and support, each other's performance. These trees, which change with time, instantaneously determine what a compound agent does. Consequently, rather than being a sequence of actions generated ahead of time, the tree is a set of active component agents controlling what is to be done at different levels of abstraction or detail, and the actions of the compound agent are generated by this set of component agents as they are required. In the Figure 4 example, the tree of active agents self-assembles from the top down. This is superficially similar to the procedure 'call tree' that exists when a conventional procedural programming language program is being executed, except that in the present case what exists is a tree of concurrently executing autonomous component agents whose overall activity can be continuously influenced by component agents anywhere within the tree rather than just by the component agent currently at the bottom of the tree.

These trees can also self-assemble from the bottom up, such as when one or more active roles or skills (component agents of specific function) invokes another skill which is capable of organising their interaction. For instance, if the compound agent happens to be walking towards a door, the "getting out" component agent may be activated in order to organise the behaviour of the compound agent through others of its component skills when it reaches the door; e.g. turning the handle if the door is closed.

A preferred embodiment of this scheme has the component agents

10

15

20

25

30

corresponding to behaviours implemented as RTA modules communicating with each other through markers and constraints. Each module contains two decision structures, respectively identified herein as top and bottom. The top decision structure determines which agent has nominal "control" over the current task (in effect, which agent is to receive the report of the task performance), and access is distributed amongst the other component agent modules that are competing for assistance from this component agent. As will be described below, in some circumstances the functioning of the a component agent may generate data of value to several component agents, not just the linked one, and consequently other agents are enabled to make opportunistic use of data generated in this way. The bottom decision structure determines what actions the component agent performs, which may include the placing of markers through inserting licences into the top decision structure of other agents in order to get assistance, as well as control using basic behaviours of the compound agent such as walking, grasping or speaking. A component agent could also call for markers by inserting licences into the bottom decision structure of other component agents, for instance as part of the bottom-up selfassembly process described above.

As well as interacting with other component agents within the compound agent, component agents can interact (via markers) with other objects and compound agents in their environment. Thus each component agent may in itself display skilful behaviour with respect to other objects or compound agents. The markers on the objects of interest to the skill agents correspond to the parameters of the behaviours or the objects towards which the behaviours are directed (such as the door, in the case of the "going to" and "turning towards" component agents). The top decision structure of each component agent provides a way of deciding which object the activity of that component agent is directed towards when there are competing requests from other component agents for assistance.

In an extension of this system, some of the skill modules in an agent may be for performing roles, as described in the previously identified papers of

10

15

20

25

30

Wavish and Graham. This allows agents to interact with each other fluently. For instance, the complementary skills associated with giving and receiving make it possible for one compound agent (the donor) to interact fluently with another (the recipient) in order to transfer an object from one to the other by direct contact between the donors "giving" component skill agent, and the recipients "receiving" skill agent.

A second useful extension of this system is where some of the skill agents are concerned with performing scripts, as briefly mentioned above in connection with the arrangement of Figure 1. In such a case, individual skill agents might correspond to searching for the next action to perform, searching for the cue, and performing a scripted action. The skill module responsible for performing scripted actions would use the information in the script to activate the appropriate skill agents.

In a third extension, some of the skill agents are concerned with actions of the compound agent's body. For instance, in controlling a robot or a simulation of a human figure, the various joints in the skeleton may have skill modules associated with them. For instance, one could be associated with the eyeballs, and another with the neck joint. These agents would collaborate to satisfy the requirement to look at a particular object; if eyeball motion alone is insufficient, then neck motion is required.

A fourth extension is where, in addition to component agents corresponding to skills and roles, there are also agents corresponding to percepts such as the kind of object being looked at, its colour, its shape, or more abstract aspects of the situation in which the compound agent is embedded. These agents can also self-assemble into hierarchies in the way described. They act as a source of information about the situation that can be used by the skill and role agents to make their actions more appropriate to the context.

A fifth extension (generally in conjunction with the third) has one of the skill agents handling a "sense" of the virtual actor, such as controlling the direction of gaze of the compound agent: virtual actors need to be able to see

10

15

20

25

30

objects in the (virtual) world around them not only to determine what to do, but also so that the animation of their direction of gaze looks realistic to the viewer.

In a virtual world, information about what a virtual actor sees while looking at a particular object can be determined directly from the current state of the object, as represented by a corresponding object agent, such that no image analysis or recognition is necessarily involved. The problem of making a virtual actor see reduces to that of controlling the direction of gaze to match that actor's current interests. For instance, an actor may need to see obstacles in its path as well as look at another actor that it is talking to. Within the compound agent, several component agents may require access to the information that is provided by the actor's eyes being fixated on a particular object in its environment. The actor's eyes (and other sources of sensory input) are thus a shared resource which may be required concurrently by different agents, and hence some form of arbitration is required between the requesting component agents.

A straightforward way of implementing this is a priority scheme whereby each component agent requests the use of the eyes and is granted its request if it has the highest priority. In a preferred implementation however, the request from a component agent is not for the use of the resource as such, but is a request to fixate the actor's eyes on a particular object.

Following resolution by the decision structure, the actor's eyes are then moved to the object indicated by the highest priority request. Instead of notifying the component agent issuing the request that it has succeeded, it is left to that component agent itself to determine whether the request has been satisfied and, if not, whether the resulting direction of gaze (as requested by another agent) provides a useful view. A simple way of doing this is to compare the current direction of gaze with the requested direction of gaze each time a change of direction (saccade) takes effect. An alternative is to compare the information retrieved from the respective agent of the object being looked at with the expected information. For instance, if a component agent has requested to see the other actor being spoken to, and what is actually seen

10

15

20

25

30

appears to be a table, the request has obviously failed .-

In an embodiment of this in RTA, the prioritising of requests is done by a decision structure as described above, and an individual request is made by activating a particular licence within that decision structure. The movement of the actor's eyes is done by an identify behaviour which places the "the-object-l-am-looking-at" marker on the proposed object, and the test that the request has succeeded is made using a constraint. Each time a saccade occurs, the direction of gaze is suitably locked to the proposed object by the firing of a so-called latch licence so that the licence corresponding to the request can be safely deactivated.

A suitable way of providing virtual actors with vision is to render the scene from the point of view of the actor, and then analyze the 2-D image in order to determine the positions of objects in the field of view. This form of synthetic vision can readily be integrated with the mechanism already described for controlling the direction of gaze. Although the result is much slower, a benefit of doing this is that objects in the periphery of the visual field become visible to the actor as a side effect of its directed visual activity, and can provide an additional source of information to the virtual actors component agents. For example, when looking at an object, the object supporting it will normally be in the visual field, hence a component agent interested in how the currently fixated object is supported can request that the direction of gaze be moved to the object below the currently fixated object.

From reading the present disclosure, other modifications will be apparent to persons skilled in the art. Such modifications may involve other features which already known in the field of data processing apparatuses and component parts thereof and which may be used instead of or in addition to features already described herein. Although claims have been formulated in this application to particular combinations of features, it should be understood that the scope of the disclosure of the present application also includes any novel feature or any novel combination of features disclosed herein either explicitly or implicitly, whether or not it relates to the same invention as

presently claimed in any claim and whether or not it mitigates any or all of the same technical problems as does the present invention. The applicants hereby give notice that new claims may be formulated to such features and/or combinations of such features during the prosecution of the present application or of any further application derived therefrom.

CLAIMS

5

10

15

20

1. A rule-based data processing apparatus comprising a processor coupled with memory means having stored therein a first group of agents, said first group being defined by a respective set of rules, and each agent being configured to effect respective designated functions when triggered by a respective predetermined set of conditions holding true and at least some of said agents being configured to trigger others of said agents to effect their respective functions through markers linking respective pairs of agents:

characterised in that each agent includes a first decision structure into which respective rules from others of said group of agents may be placed, each decision structure being arranged to periodically select and act on one of the rules placed therein in accordance with predetermined selection criteria, and each agent being configured to place a marker on an agent originating a rule selected by said agent, and to periodically identify one or more other agents of the said group as capable of effecting at least a part of that agents designated function and to place a rule into the first decision structure of the or each agent so identified.

2. Apparatus as claimed in Claim 1, wherein each agent includes a second decision structure and is further configured to periodically identify one or more other agents of the said group as having the agents designated function as at least a part of their designated function and to initiate the placing of a rule into the second decision structure of the or each such identified agent.

3. Apparatus as claimed in Claim 1 or Claim 2, wherein each rule placed in a decision structure has an associated priority value and the periodic selection by said decision structure is of the highest priority from amongst the rules currently placed.

4. Apparatus as claimed in Claim 3, wherein each priority value is

25


30

a time delay, and each decision structure is arranged to periodically synchronously trigger all time delays of rules placed therein, the first rule for which the associated delay expires whilst the condition portion of that rule is satisfied becoming the selected rule.

5

10

- 5. Apparatus as claimed in any preceding Claim, comprising a further group of agents stored within said memory means and being defined by a respective set of rules, at least some of the agents of said further group having first and second decision structures, and at least some agents of each said group being operable to place rules within decision structures of selected agents within the respective other group, and place markers on such selected agents.
- 6. Apparatus as claimed in Claim 2, comprising a plurality of further agents stored within said memory means and defined by respective rules, each of said further agents having only a first decision structure.



This Page Blank (uspic,




FIG. 2

AGENT	BEHAVIOUR	WAITING FOR		
1	GETTING OUT (Room)	2		
2	GOING TO (Door)	3+4	•	
3	WALKING	5		
4	FACING TOWARDS (Door)	5		
5	STANDING UP		FIG.	3

FIG. 4

This Page Blank (uspto)

## 3/3

BEHAVIOUR	AGENT STATE
Getting out (Room) Going to (Door) Walking Facing towards (Door) Standing up	Beginning Beginning Beginning Beginning Doing

# FIG. 5

BEHAVIOUR	AGENT STATE
Getting out (Room) Going to (Door) Walking Facing towards (Door) Standing up	Doing Doing Doing Doing Ending

# FIG. 6

BEHAVIOUR	AGENT STATE
Getting out (Room)	Doing
Going to (Door)	Doing
Walking	Failing
Facing	Doing
Avoiding (Chair)	Doing
Side stepping	Beginning
Standing up	Resting

FIG. 7

This Page Blank (uspto)

### INTERNATIONAL SEARCH REPORT

International application No. PCT/IB 97/01271

		<u>.</u>	<del> </del>
A. CLAS	SIFICATION OF SUBJECT MATTER		
IPC6: (	G06F 9/44, G06F 19/00 // G06F 161 o International Patent Classification (IPC) or to both no	: 00 ational classification and IPC	
B. FIELD	DS SEARCHED		
Minimum d	ocumentation searched (classification system followed by	y classification symbols)	
IPC6: (	306F		
Documenta	tion searched other than minimum documentation to the	e extent that such documents are included in	the fields searched
SE,DK,	FI,NO classes as above		
Electronic d	ata base consulted during the international search (name	e of data base and, where practicable, search	terms used)
WPI			
	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.
Α	WO 9527952 A2 (PHILIPS ELECTRON) 19 October 1995 (19.10.95), application	ICS N.V. ET AL), cited in the	1-6
	· —-		
A	WO 9600947 A2 (PHILIPS ELECTRON) 11 January 1996 (11.01.96), application	ICS N.V. ET AL), cited in the	1-6
	<b></b>		
<b>A</b> .	WO 9600948 A2 (PHILIPS ELECTRON) 11 January 1996 (11.01.96), application	ICS N.V. ET AL), cited in the	1-6
İ			
Furth	er documents are listed in the continuation of Box	See patent family annex	t <b>.</b>
	categories of cited documents:	"T" later document published after the inte date and not in conflict with the appli	rnational filing date or priority
to be of	nt defining the general state of the art which is not considered particular relevance	the principle or theory underlying the	invention
"L" docume cited to	ocument but published on or after the international filing date int which may throw doubts on priority claim(s) or which is establish the publication date of another citation or other	"X" document of particular relevance: the considered novel or cannot be conside step when the document is taken alone	red to involve an inventive
"O" docume	reason (as specified) nt referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the considered to involve an inventive step	when the document is
"P" docume	nt published prior to the international filing date but later than rity date claimed	combined with one or more other such being obvious to a person skilled in the document member of the same patent	e art
Date of the	actual completion of the international search	Date of mailing of the international s	
17 Apri		<b>2 1 -04-</b> 19	98
	mailing address of the ISA/	Authorized officer	
	Patent Office S-102 42 STOCKHOLM	lan Silfyonlina	
	No. +46 8 666 02 86	Jan Silfverling Telephone No. +46 8 782 25 00	

## INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No. 02/04/98 PCT/IB 97/01271

	<del></del>				02/04/30	LCI/ID	9//01//1
	atent document 1 in search repo		Publication date		Patent family member(s)		Publication date
WO	9527952	A2	19/10/95	EP GB JP	0704077 9406931 8512160	D	03/04/96 00/00/00 17/12/96
WO	9600947	A2	11/01/96	EP GB JP	0722592 9413126 9502556	D	24/07/96 00/00/00 11/03/97
 √O	9600948	A2	11/01/96	EP GB JP	0724751 9413127 9502557	D	07/08/96 00/00/00 11/03/97

Form PCT/ISA/210 (patent family annex) (July 1992)

White the book of the survey line